



## Duramax Replacement Wear Parts for your Diamond Z 1048

---

### Tips/Teeth

- A•Tip:•3"•x•5"•(7/8"•Holes)•Bottom•Measurements
- AD•Tip:•3"•x•5"•(7/8"•Holes)•Bottom•Measurements
- ADT Tip: 3-3/8"•x•5-1/8"•(7/8"•Holes)•Bottom•Measurements
- C Tip: 2-1/2 X 2-1/2 (7/8" Hole) Bottom Measurements
- D Tip: 3"•x•5-1/4"•(7/8"•Holes)•Bottom•Measurements

### Hardware- Bolts, Nuts, Washers

#### Bolts

- 7/8"•GWP•Heavy•Duty•2•1/2" – 7•1/2"•Fine
- 7/8"•GWP•Heavy•Duty•2•1/2" – 7•1/2"•Coarse
- 7/8"•Regular•Headed•2•1/2" – 7•1/2"•Fine
- 7/8"•Regular•Headed•2•1/2" – 7•1/2"•Coarse

#### Nuts

- 7/8"•Flange•Nut•Lock•Fine
- 7/8"•Flange•Nut•Lock•Coarse
- 7/8"•Flange•Nut•Fine
- 7/8"•Flange•Nut•Coarse
- 7/8"•Nut•Lock•Fine
- 7/8"•Nut•Lock•Coarse
- 7/8"•Non-Lock Nut Fine
- 7/8"•Non-Lock Nut Coarse

### Screens/Grates

- 1048•Screen•3/4"•Thick
- 1048 Screen 1"•Thick
- 1048 Screen 1- 1/4"•Thick
- Material: T-1, AR-400

- Hole Patterns (In Any Size)
  - Round
  - Diamond
  - Square
  - Octagon
  - Hexagon
  - Rectangle
  - Herringbone
  - Slanted
  - Custom
- Options: Rails, Baffles, Hardfacing, Backing, Bevels, Anvils

## **Hammers-Fixed and Swing**

- 1048•Hammer•3”•Thick•Reversing
- 1048•Hammer•3”•Thick•Non-Reversing

## **Rods**

- 1048 Mill Rod Drilled and Tapped

## **Hammermills**

## **Cutter bars**

## **Wear plates**

- 1048 Wear Plate

## **Deflector shields**

- 1048 Deflector Shield

## **Tub Rollers**

- 1048 Carrier Roller Double Bearing
- 1048 Side Roller Double Bearing
- 1048 Carrier Roller Single Bearing

## **Tub Chain**

- 1048 Tub Chain
- 1048•Tub•Teeth•1”•Thick

## **Conveyor Belts**

- 1048 Conveyor Belt

## **Conveyor Drive and Idler Rollers**

- 1048 Drive Roller
- 1048 Idler Roller